

MARINE CONSTRUCTION:

TYPE OF PROJECT:	RETAINING/SEA WALL	DOCK/PIER	BOATHOUSE	UNCOVERED LIFT
	OTHER:			

BODY OF WATER:	PENSACOLA BAY	SANTA ROSA SOUND	HOFFMAN BAYOU
	WOODLAND BAYOU	GILMORE BAYOU	OTHER:

IF A DOCK/PIER, BOATHOUSE OR UNCOVERED LIFT, WHAT IS THE LENGTH MEASURED FROM THE MHWL?

IF A DOCK/PIER, BOATHOUSE OR UNCOVERED LIFT, WHAT IS THE TOTAL AREA?

IF A BOATHOUSE OR UNCOVERED LIFT, WHAT IS THE AREA?

WHAT IS THE DISTANCE FROM THE FURTHERMOST EXTENT OF THE DOCK/PIER, BOATHOUSE OR UNCOVERED BOAT LIFT FROM THE PROPERTY LINE?

LEFT:	RIGHT:
-------	--------

SECTION 24-172 OF THE LAND DEVELOPMENT CODE REQUIRES THAT ALL DOCKS, PIERS, BOATHOUSES, UNCOVERED SLIPS OR SIMILAR STRUCTURES PROVIDE CONTINUING PUBLIC ACCESS TO ALL SOVEREIGN LANDS, HOW WILL THIS BE ACCOMPLISHED FOR THIS PARTICULAR PROJECT?

IF A DOCK/PIER BOATHOUSE OR UNCOVERED SLIP, ALONG WHAT SECTION OF SHORELINE WILL THE PROJECT BE LOCATED:

NAVAL LIVE OAKS - BOB SIKES BRIDGE (200' MAX)	BOB SIKES - SHORELINE PARK (200' MAX)
SHORELINE PARK - DEER POINT (200' MAX)	DEER POINT - ZAMARA CANAL (300' MAX)
ZAMARA CANAL - FAIRPOINT (475' MAX)	FAIRPOINT - PENSACOLA BAY BRIDGE (225' MAX)
PENSACOLA BAY BRIDGE - NAVAL LIVE OAKS (200' MAX)	INLAND BAYOU (25'MAX)

IF A RETAINING/SEA WALL, WHAT IS IT'S DISTANCE FROM THE MHWL?

WHAT IS THE VERTICAL HEIGHT OF THE RETAINING/SEA WALL?	SEAWARD	LANDWARD
--	---------	----------

ARE COPIES OF FEDERAL AND STATE PERMITS ATTACHED?	YES	NO
---	-----	----

POOL INFORMATION:

POOL TYPE:	BELOW GROUND	ABOVE GROUND	SPA/HOT TUB
DIMENSION:			
	LENGTH	WIDTH	AREA
			DEPTH

IS THE YARD FENCED OR WILL IT BE FENCED? YES NO

IS SO, WHAT IS THE HEIGHT?

WILL THE POOL HAVE SCREENED ENCLOSURE? YES NO

IS SO, WHAT ARE THE DIMENSIONS:				
	LENGTH	WIDTH	AREA	HEIGHT

I, _____, NOW ENGAGING OR ABOUT TO ENGAGE IN THE CONSTRUCTION OF A SWIMMING POOL UPON MY OWN PREMISES AS DESCRIBED ON THE REQUIRED BUILDING PERMIT APPLICATION AND LOCATED IN SANTA ROSA COUNTY, FLORIDA, DO HEREBY ACKNOWLEDGE THE REQUIREMENT OF AN APPROVED BARRIER AT LEAST 48 INCHES (4 FEET) ABOVE GRADE, MEASURED ON THE SIDE OF THE BARRIER WHICH FACES AWAY FROM THE SWIMMING POOL, IS TO BE ERECTED PRIOR TO FILLING THE POOL WITH WATER. FURTHERMORE, I ACKNOWLEDGE THE REQUIREMENT OF AN ALARM ON ALL DOORS AND WINDOWS WITHIN A DWELLING UNIT HAVING DIRECT ACCESS TO THE POOL THROUGH A WALL (OR WALLS) THAT SERVES AS PART OF THE BARRIER.

I FURTHER ACKNOWLEDGE THAT THE FOREGOING IS REQUIRED BY SECTION 315 OF THE STANDARD SWIMMING POOL CODE AND CITY ORDINANCE.

CONTRACTOR'S SIGNATURE	DATE	OWNER'S SIGNATURE	DATE
PRINTED NAME		PRINTED NAME	

COMMERCIAL DEVELOPMENT:


ENGINEER'S NAME:	ARCHITECT'S NAME:
ADDRESS:	ADDRESS:
ADDRESS 2:	ADDRESS 2:
CITY:	CITY:
STATE:	STATE:
ZIP:	PHONE #:
CELL #:	FAX #:
E-MAIL:	E-MAIL:
STATE LICENSE #:	STATE LICENSE #:

AGENT INFORMATION:

ENGINEER'S NAME:		
ADDRESS:		
ADDRESS 2:		
CITY:		
STATE:		
ZIP:	PHONE #:	
CELL #:	FAX #:	
E-MAIL:		
STATE LICENSE #:		

LOCATION MAP:

PLEASE MARK THE PROJECT LOCATION ON THE MAP.



DEMOLITION INFORMATION:

PLEASE ATTACH A SURVEY DEPICTING THE STRUCTURES TO BE REMOVED.

IF UTILITIES ARE TO REMAIN ONSITE, WHAT MEASURES WILL BE TAKEN TO PROTECT THEM FROM DAMAGE?

DISPOSAL OF MATERIAL: SANTA ROSA COUNTY LANDFILL ESCAMBIA COUNTY LANDFILL

OTHER: _____

ASBESTOS NOTIFICATION STATEMENT

PER FLORIDA BUILDING CODE 105.9 ASBESTOS. THE ENFORCING AGENCY SHALL REQUIRE EACH BUILDING PERMIT FOR THE DEMOLITION OR RENOVATION OF AN EXISTING STRUCTURE TO CONTAIN AN ASBESTOS NOTIFICATION STATEMENT WHICH INDICATES THE OWNER'S OR OPERATOR'S RESPONSIBILITY TO COMPLY WITH THE PROVISIONS OF SECTION 469.003, FLORIDA STATUTES, AND TO **NOTIFY THE DEPARTMENT OF ENVIRONMENTAL PROTECTION OF HIS OR HER INTENTIONS TO REMOVE ASBESTOS, WHEN APPLICABLE, IN ACCORDANCE WITH STATE AND FEDERAL LAW.**

469.003 LICENSE REQUIRED

- 1. NO PERSON MAY CONDUCT AN ASBESTOS SURVEY, DEVELOP AN OPERATION AND MAINTENANCE PLAN, OR MONITOR AND EVALUATE ASBESTOS ABATEMENT UNLESS TRAINED AND LICENSED AS AN ASBESTOS CONSULTANT AS REQUIRED BY THIS CHAPTER.
- 2. **(A)** NO PERSON MAY PREPARE ASBESTOS ABATEMENT SPECIFICATIONS UNLESS TRAINED AND LICENSED AS AN ASBESTOS CONSULTANT AS REQUIRED BY THIS CHAPTER.
 (B) ANY PERSON ENGAGED IN THE BUSINESS OF ASBESTOS SURVEYS PRIOR TO OCTOBER 1, 1987, WHO HAS BEEN CERTIFIED BY THE DEPARTMENT OF LABOR AND EMPLOYMENT SECURITY AS A CERTIFIED ASBESTOS SURVEYOR AND WHO HAS COMPLIED WITH THE TRAINING REQUIREMENTS OF S. 469.013(1)(B), MAY PROVIDE SURVEY SERVICES AS DESCRIBED IN S. 255.553(1), (2) AND (3). THE DEPARTMENT OF LABOR AND EMPLOYMENT SECURITY MAY, BY RULE, ESTABLISH VIOLATIONS, DISCIPLINARY PROCEDURES, AND PENALTIES FOR CERTIFIED ASBESTOS SURVEYORS.
- 3. NO PERSON MAY CONDUCT ASBESTOS ABATEMENT WORK UNLESS LICENSED BY THE DEPARTMENT UNDER THIS CHAPTER AS AN ASBESTOS CONTRACTOR, EXCEPT AS OTHERWISE PROVIDED IN THIS CHAPTER.

I CERTIFY THAT I HAVE READ AND UNDERSTAND AND WILL COMPLY WITH THE PROVISIONS OF THIS ASBESTOS NOTIFICATION STATEMENT AND THAT I WILL COMPLY WITH ALL STATE AND FEDERAL REGULATIONS PERTAINING TO ASBESTOS.

LICENSE HOLDER/CONTRACTOR SIGNATURE DATE

LICENSE HOLDER/CONTRACTOR PRINTED NAME LICENSE NUMBER

ADDRESS OF CONSTRUCTION SITE

AUTHORIZATION:

APPLICATION IS HEREBY MADE TO OBTAIN A DEVELOPMENT ORDER FOR THE WORK AS INDICATED IN THE ATTACHED PLANS AND SPECIFICATIONS. I (WE)

CERTIFY THAT NO WORK HAS COMMENCED PRIOR TO THE ISSUANCE OF THE DEVELOPMENT ORDER AND THAT ALL WORK WILL BE PREFORMED IN

ACCORDANCE WITH ALL LAWS REGULATING CONSTRUCTION AND ZONING IN THIS JURISDICTION.

CONTRACTOR'S SIGNATURE DATE OWNER'S SIGNATURE DATE

PRINTED NAME PRINTED NAME

DEVELOPMENT ORDER APPLICATION CHECK LIST

Applications for development approval for all development activity shall include the following required submittal information. The city manager or his designee are hereby authorized to amend these requirements as warranted by changes in technology or review capability.

- (1) Application for development approval completed.
- (2) Detailed project site plan scaled drawings shall be submitted for all projects. Projects requiring city council or board approvals shall be submitted on plan paper measuring 11" × 17" plus three additional drawings on plan paper measuring 24" × 36". The plans shall show all site improvements, including where applicable, but not limited to:
 - a. Rights-of-way and easements within site and adjacent to site.
 - b. Site dimensions and setback lines.
 - c. Building footprints with exterior dimensions and square footage for all structures.
 - d. Driveways, fire lanes, sidewalks, street entrances and exits.
 - e. Parking layout showing exact location of spaces, including handicapped spaces.
 - f. All existing trees (six inches in diameter and greater) showing those to remain or to be removed.
 - g. Landscape details including location and type of beds, lawn, shrubs, trees.
 - h. Irrigation system coverage.
 - i. Stormwater management system and holding ponds.
 - j. Sewer line locations and sizes and lift stations; package plants; septic tanks; grease traps, stub-outs for future connections to sewer, where applicable.
 - k. Water lines and meter locations and sizes.
 - l. Gas lines and meter locations and sizes.
 - m. Street lighting and onsite exterior lighting.
 - n. Fences, retaining walls, revetments, bulkheads, indicating heights.
 - o. Satellite dish location, height and screening.

- p. All construction within 50 feet of mean high water.
 - q. Sign location.
 - r. Location and extent of Federal Emergency Management Agency A and V zones as shown on the flood insurance rate maps (FIRM) for the city.
 - s. Location and extent of United States Army Corps of Engineers and/or Department of Environmental Regulation jurisdictional wetlands.
 - t. Location of potable waterwells within 200 feet of site.
- (3) Building elevations and floor plans, at a scale not less than one-eighth inch equals one foot, showing building heights and major architectural features and finishes, and type of construction.
 - (4) Final construction drawings of proposed signs showing location, dimensions, lighting, etc.
 - (5) Parking space requirements calculations.
 - (6) Density requirements calculations.
 - (7) Description of curb cuts required and approval of the state department of transportation where applicable.
 - (8) Stormwater management plan (including calculations).
 - (9) Easements--descriptions and purposes.
 - (10) Utility availability assurance statements; water tap fees, sewer tap fees, connection charges, and impact fees required.
 - (11) Potable water backflow prevention device required.
 - (12) Assessment of development impacts on adjacent conservation districts, where applicable.
 - (13) Analysis of marina siting criteria, where applicable.
 - (14) Copies of required federal and state permits.
 - (15) Any other information required under other sections of this land development code including submittal requirements for preliminary and final subdivision plats, project impact studies, etc.
 - (16) Upon construction completion, as-built site plans including all improvements such as water, sewer and gas lines, stormdrains, retention areas, parking areas, etc., shall be

submitted. The engineer of record shall provide a signed and sealed certification that the project was completed in accordance with the approved plans or as reflected by the as-builts.

***PLEASE ATTACH SUPPORTING
DOCUMENTATION BEHIND THIS PAGE***